BD 70/75 W CLASSIC BP PACK 170AH

Easy to use, robust design, long runtime: Our BD 70/75 W Bp Pack Classic push scrubber drier is impressively versatile and boasts a 170 Ah AGM battery.







Order no.


1.127-019.0

- Extremely robust and durable components for tough applications
- Very simple, intuitive operating concept
- Powerful battery and off-board battery charger included in the scope of supply

Technical data		
EAN code		4054278482798
Drive type		Battery
Traction drive		Traction motor
Working width of brushes	mm	705
Working width, vacuuming	mm	1030
Tank of fresh/dirty water	1	75 / 75
Theoretical area performance	m²/h	max. 3525
Practical area performance	m²/h	2115
Battery type		maintenance-free
Battery	V / Ah	24 / 170
Battery runtime	h	max. 3
Power supply for battery charger	V / Hz	220 - 240 / 50 - 60
Driving speed	km/h	max. 5
Brush rotational speed	rpm	180
Brush contact pressure	g/cm² / kg	20.4 - 34 / 30 - 50
Aisle turning width	mm	1550
Water consumption	l/min	max. 2.75
Sound pressure level	dB(A)	63 - 65
Total permissible weight	kg	325
Weight without accessories	kg	100
Dimensions (L × W × H)	mm	1445 × 750 × 1065

Equipment	
Disc brush	
Powerful traction drive	
Battery	
Battery and charger included	•
squeegee, angled	
2-tank system	
Motor	Battery
Included in the scope of supply.	

BD 70/75 W Classic Bp Pack 170Ah, 1.127-019.0, 2024-08-13



The brush head and squeegee are made from long-lasting aluminium

- Robust machine concept for tough working conditions with low failure rates.
- Also developed for applications in harsh conditions.

Extremely simple operating concept

- All machine functions can be operated using switches, buttons and knobs.
- Colour-coded controls for easy operation and short teach-in times.

Compact and robust design

- Highly versatile, easy to manoeuvre machine that provides a good overview.
- Reduces the risk of damaging the machine or equipment.



























DISC BRUSHES Disc brush, medium, red, 355 mm 1 4,905-010.0 Red standard disc brush for regular maintenance cleaning. Disc brush, wedjum, red, 355 mm 2 4,905-011.0 White, soft disc brush for the gentile cleaning of sensitive floor coverings. Disc brush, soft, natural, 355 mm 3 4,905-012.0 Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. Disc brush, hard, Black, 355 mm 4 4,905-013.0 Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with valid to sticky dirt. SQUEEGEES AND SQUEEGEE BLADES Squeegees Squeegee, 1030 mm 5 4,777-108.0 Specially angled squeegee with particularly wide swivel range. Suction lip made from oil-rest transparent polyurethane with especially long working time. With support rollers. Squeegee blades, Natural rubber, 1164 mm 6 4.037-144.0 Squeegee blades kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber g squeegee blades, oil-resistant, grooved, 1164 mm. Soft natural rubber g squeegee blades, in a squeegee blades, 1164 mm. Grooved squeegee blades, oil-resistant, grooved, 1164 mm. B 4,181-011.0 1164-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures v good wiping and suction results. TRACTION BATTERIES AND CHARGERS Battery kit, 24 V, 170 Ah, maintenance-free 9 2,815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery Chargers Battery Chargers Battery charger, 24 V 10 As SB 120: For the safe charging of maintenance-free batteries of	
Disc Brushes Disc brush, medium, red, 355 mm 1 4,905-010.0 Red standard disc brush for regular maintenance cleaning. Disc brush, very soft, White, 355 mm 2 4,905-011.0 White, soft disc brush for the gentle cleaning of sensitive floor coverings. Disc brush, soft, natural, 355 mm 3 4,905-012.0 Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. Disc brush, hard, Black, 355 mm 4 4,905-013.0 Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with v sticky dirt. SQUEEGEES AND SQUEEGEE BLADES Squeegees Squeegee Noso mm 5 4,777-108.0 Specially angled squeegee with particularly wide swivel range. Suction lip made from oil-rest transparent polyurethane with especially long working time. With support rollers. Squeegee blades Squeegee blades, Natural rubber, 1164 mm 6 4,037-144.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber g squeegee blades, oil-resistant, grooved, 1164 mm Squeegee blades, oil-resistant, grooved, 1164 mm 8 4,181-011.0 Infa-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors. Squeegee blades, Linatex*, 1164 mm 8 4,181-011.0 Infa-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures v good wiping and suction results. TRACTION BATTERIES AND CHARGERS Battery kit, 24 V, 170 Ah, maintenance-free 9 2,815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery Chargers Battery Chargers Battery Charger, 24 V	
Disc brush, medium, red, 355 mm 1 4,905-010.0 Red standard disc brush for regular maintenance cleaning. Disc brush, very soft, White, 355 mm 2 4,905-011.0 White, soft disc brush for the gentle cleaning of sensitive floor coverings. Disc brush, soft, natural, 355 mm 3 4,905-012.0 Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. Disc brush, hard, Black, 355 mm 4 4,905-013.0 Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with v sticky dirt. SQUEEGES AND SQUEEGEE BLADES Squeegees Squeegee, 1030 mm 5 4.777-108.0 Specially angled squeegee with particularly wide swivel range. Suction lip made from oil-rest transparent polyurethane with especially long working time. With support rollers. Squeegee blades, Natural rubber, 1164 mm 6 4.037-144.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber g squeegee blades, Oil-resistant, grooved, 1164 mm. Squeegee blades, Linatex*, 1164 mm 8 4.181-011.0 1164-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures v good wiping and suction results. TRACTION BATTERIES AND CHARGERS Battery kit, 24 V, 170 Ah, maintenance-free 9 2.815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery Chargers Battery Chargers Battery charger, 24 V 10 6.654-436.0 Battery charger 24 V / 50 A SB 120: For the safe charging of maintenance-free batteries of	
Disc brush, very soft, White, 355 mm 2 4.905-011.0 White, soft disc brush for the gentle cleaning of sensitive floor coverings. Disc brush, soft, natural, 355 mm 3 4.905-012.0 Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. Disc brush, hard, Black, 355 mm 4 4.905-013.0 Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with vesticky dirt. SQUEEGEES AND SQUEEGEE BLADES Squeegees Squeegee, 1030 mm 5 4.777-108.0 Specially angled squeegee with particularly wide swivel range. Suction lip made from oil-rest transparent polyurethane with especially long working time. With support rollers. Squeegee blades, Natural rubber, 1164 mm 6 4.037-144.0 Squeegee blades kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber gaueegee blades, oil-resistant, grooved, 1164 mm 5 4.037-144.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, mad-wearing, oil-resistant, transparent polyurethane. For all standard floors. Squeegee blades, Linatex*, 1164 mm 8 4.181-011.0 1164-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures v good wiping and suction results. TRACTION BATTERIES AND CHARGERS Battery kit, 24 V, 170 Ah, maintenance-free 9 2.815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery Chargers Battery Charger, 24 V	
Disc brush, soft, natural, 355 mm 3 4,905-012.0 Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. Disc brush, hard, Black, 355 mm 4 4,905-013.0 Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with v sticky dirt. SQUEEGEES AND SQUEEGEE BLADES Squeegees Squeegee, 1030 mm 5 4,777-108.0 Specially angled squeegee with particularly wide swivel range. Suction lip made from oil-rest transparent polyurethane with especially long working time. With support rollers. Squeegee blades Squeegee blades, Natural rubber, 1164 mm 6 4,037-144.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber g squeegee blades, oil-resistant, grooved, 1164 mm. Soft natural rubber g squeegee blades, inatex*, 1164 mm. Grooved squeegee blades hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. Squeegee blades, Linatex*, 1164 mm 8 4,181-011.0 Ile-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures v good wiping and suction results. TRACTION BATTERIES AND CHARGERS Battery kit, 24 V, 170 Ah, maintenance-free 9 2,815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery Chargers Battery charger, 24 V	
Disc brush, hard, Black, 355 mm 4 4.905-013.0 Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with visiticky dirt. SQUEEGEES AND SQUEEGEE BLADES Squeegees Squeegee, 1030 mm 5 4.777-108.0 Specially angled squeegee with particularly wide swivel range. Suction lip made from oil-rest transparent polyurethane with especially long working time. With support rollers. Squeegee blades Squeegee blades, Natural rubber, 1164 mm 6 4.037-144.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber grade squeegee blades, oil-resistant, grooved, 1164 mm. Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, oil-resistant, grooved, 1164 mm. Grooved squeegee blades, linatex*, 1164 mm 8 4.181-011.0 1164-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures v good wiping and suction results. TRACTION BATTERIES AND CHARGERS Battery kit, 24 V, 170 Ah, maintenance-free 9 2.815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery Chargers Battery charger, 24 V	
SQUEEGEES AND SQUEEGEE BLADES Squeegees Squeegee, 1030 mm 5 4.777-108.0 Specially angled squeegee with particularly wide swivel range. Suction lip made from oil-restransparent polyurethane with especially long working time. With support rollers. Squeegee blades Squeegee blades, Natural rubber, 1164 mm 6 4.037-144.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber g squeegee blades, oil-resistant, grooved, 1164 mm Squeegee blades, oil-resistant, grooved, 1164 mm 8 4.037-145.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Grooved squeegee blade mm Squeegee blades, Linatex*, 1164 mm 8 4.181-011.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Grooved squeegee blade hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. Squeegee blades, Linatex*, 1164 mm 8 4.181-011.0 1164-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures v good wiping and suction results. TRACTION BATTERIES AND CHARGERS Batteries Battery Chargers Battery Chargers Battery Chargers, 24 V 170 Ah, maintenance-free 9 2.815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries.	
Squeegee, 1030 mm 5 4.777-108.0 Specially angled squeegee with particularly wide swivel range. Suction lip made from oil-res transparent polyurethane with especially long working time. With support rollers. Squeegee blades Squeegee blades, Natural rubber, 1164 mm 6 4.037-144.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber gradeegee blades, oil-resistant, grooved, 1164 mm. Grooved squeegee blades. For all standard floors. Squeegee blades, oil-resistant, grooved, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, which was a squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, which was a squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, which was a squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, and was a squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, and was a squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, includes front and rear squeegee blades, 1164 mm. Grooved, includes front and rear squeegee blades, includes front	ery [
Squeegee blades Squeegee blades, Natural rubber, 1164 mm Squeegee blades, Natural rubber, 1164 mm Squeegee blades, Natural rubber, 1164 mm Squeegee blades, Oil-resistant, grooved, 1164 mm Squeegee blades, Oil-resistant, grooved, 1164 mm Squeegee blades, Cil-resistant, grooved, 1164 mm Squeegee blades, Dil-resistant, grooved, 1164 mm Squeegee blades, Cil-resistant, grooved, 1164 mm Squeegee blades, For all standard floors. Squeegee blades, Dil-resistant, grooved, 1164 mm Squeegee blades, Cil-resistant, grooved, 1164 mm Squeegee blades, Linatex*, 1164 mm Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, wearing, oil-resistant, transparent polyurethane. For all standard floors. Squeegee blades, Linatex*, 1164 mm Squeegee blades, Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures vigood wiping and suction results. TRACTION BATTERIES AND CHARGERS Battery kit, 24 V, 170 Ah, maintenance-free Squeegee blades, Vinto Ah, maintenance-free Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, 11	
transparent polyurethane with especially long working time. With support rollers. Squeegee blades Squeegee blades, Natural rubber, 1164 mm 6 4.037-144.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber g squeegee blades, oil-resistant, grooved, 1164 mm. Soft natural rubber g squeegee blades, oil-resistant, grooved, 1164 mm. Grooved squeegee blades, inatural rubber g squeegee blades, oil-resistant, grooved, 1164 mm. Grooved squeegee blades, inatural rubber g squeegee blades, oil-resistant, grooved, 1164 mm. Grooved squeegee blades, inatural rubber g squeegee blades, inatural rubber g squeegee blades, oil-resistant, grooved, 1164 mm. Grooved squeegee blades, inatural rubber g squeegee blades, inatural	
Squeegee blades, Natural rubber, 1164 mm 6 4.037-144.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Soft natural rubber g squeegee blades, oil-resistant, grooved, 1164 mm 7 4.037-145.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, oil-resistant, grooved, 1164 mm 8 4.181-011.0 l164-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures v good wiping and suction results. TRACTION BATTERIES AND CHARGERS Batteries Battery kit, 24 V, 170 Ah, maintenance-free 9 2.815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery Chargers Battery charger, 24 V 10 6.654-436.0 Battery charger 24 V / 50 A SB 120: For the safe charging of maintenance-free batteries of	stant,
squeegee blades. For all standard floors. Squeegee blades, oil-resistant, grooved, 1164 mm 7 4.037-145.0 Squeegee blade kit includes front and rear squeegee blades, 1164 mm. Grooved squeegee blades, Linatex*, 1164 mm 8 4.181-011.0 1164-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures v good wiping and suction results. TRACTION BATTERIES AND CHARGERS Batteries Battery kit, 24 V, 170 Ah, maintenance-free 9 2.815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery Charger, 24 V 10 6.654-436.0 Battery charger 24 V / 50 A SB 120: For the safe charging of maintenance-free batteries of	
mm hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. Squeegee blades, Linatex*, 1164 mm 8 4.181-011.0 1164-mm-wide Linatex* suction lip set. Tear-proof and ideal for structured floors, ensures v good wiping and suction results. TRACTION BATTERIES AND CHARGERS Batteries Battery kit, 24 V, 170 Ah, maintenance-free 9 2.815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery charger, 24 V 10 6.654-436.0 Battery charger 24 V / 50 A SB 120: For the safe charging of maintenance-free batteries of	ooved
TRACTION BATTERIES AND CHARGERS Batteries Battery kit, 24 V, 170 Ah, maintenance-free after years and batteries. Battery Chargers Battery Chargers Battery charger, 24 V 10 6.654-436.0 Battery charger 24 V / 50 A SB 120: For the safe charging of maintenance-free batteries of the safe charging of th	des of [
Batteries Battery kit, 24 V, 170 Ah, maintenance-free 9 2.815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery charger, 24 V 10 6.654-436.0 Battery charger 24 V / 50 A SB 120: For the safe charging of maintenance-free batteries of	ry [
Battery kit, 24 V, 170 Ah, maintenance-free 9 2.815-092.0 Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free AGM batteries. Battery Chargers Battery Charger 24 V / 50 A SB 120: For the safe charging of maintenance-free batteries of	
Battery Chargers Battery charger, 24 V	
Battery charger, 24 V 10 6.654-436.0 Battery charger 24 V / 50 A SB 120: For the safe charging of maintenance-free batteries of	single
scrubber driers with a capacity of 170 Ah.	•
Accessories for batteries	
Battery mounting kit 11 2.638-162.0 Installation kit for installing a battery kit in a machine. Incl. three connection cables. Image si	milar.
SWEEPING	
Pickers	
Litter picker 100 cm 12 6.999-113.0 100 cm long ergonomic litter picker for the comfortable pick-up of coarse dirt.	
TEXTILES DURABLE	
Pockets	
ECO! mop, blue, 40 cm 13 6.999-143.0 ECO!Mop set in blue. With loops made from microfibre and pocket fixing. Perfect for the preconditioning method and use with the flat mop system from Kärcher.	
ECO! mop, red, 40 cm 14 6.999-136.0 ECO!Mop set in red. With loops made from microfibre and pocket fixing. Perfect for the preconditioning method and use with the flat mop system from Kärcher.	



























		Order no.	Description	
FLOOR WET CLEANING				
Spraymopsystems				Ļ
ECO!Spray mop system	15	5.999-045.0	ECO!Spray mop system for use with washable pocket mops for moist and wet cleaning of floor coverings. Includes a 0.66-litre bottle.	[
DISC PADS / PAD DRIVE BOARDS				
Microfibre pad				Ļ
Microfibre pad, White, 356 mm, 5 x	16	6.369-959.0	Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles.	
	17	6.905-060.0		
Pads				
Pad, medium-soft, red, 356 mm, 5 x	18	6.369-003.0	Red, standard disc pad for regular maintenance cleaning.	
Pad, medium-hard, green, 356 mm, 5 x	19	6.369-002.0	Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	
Pad, hard, Black, 356 mm, 5 x	20	6.369-001.0	Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	
Pad drive boards	•			
Pad drive board STRONG, 335 mm	21	4.762-590.0	Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 65. 2 pc. required.	
Pad drive board, 335 mm	22	4.762-446.0	Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	
Diamond pad				
Diamond pad, coarse, White, 356 mm, 5 \times	23	6.371-250.0	White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	
Diamond pad, medium, Yellow, 356 mm, 5 x	24	6.371-251.0	Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	e [
Diamond pad, fine, green, 356 mm, 5 x	25	6.371-235.0	Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	
Melamine pads				
Melamine pad, Grey/white, 356 mm, 2 x	26	6.371-021.0	White melamine disc pad for intermediate and deep cleaning of microporous surfaces, as well as fine stone and other hard floor coverings. Can also be used for removing grey haze.	
OTHER ACCESSORIES SCRUBBER DRIERS				
Home Base accessories				
Home Base adapter	27	5.035-488.0	Fastener for various hooks and clips on the machine.	[
Home Base mop holder kit	28	9.753-023.0	Holder fits on machine for convenient wiping mop storage.	[

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.





























		Order no.	Description	
OTHER ACCESSORIES SCRUBBER DRIERS				
Home Base accessories				Ļ
Double hook	29	6.980-077.0	Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	
Holder handhold grey	30	6.980-078.0	Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0). [
Bottle holder	31	6.980-080.0	Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	
Home Base Box Kit	32	4.035-406.0	The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	
Holder for squeegee	33	9.753-088.0	Holder for squeegee: The steel holder is attached to the Home Base rail of the scrubber drier and allows the safe storage and transportation of the squeegee.	
Universal hook kit	34	4.070-075.0	Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	
Dosing aids	'			
DS 3 Cleaning Agent Dosing Station	35	2.641-811.0	After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	
KITS				Ė
Fleet mounting kit				
Attachment kit Plug-in Connect Module	36	2.644-391.0	The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment managemen system.	t
Lighting / revolving signal light mounting kit	t			
Flashing beacon	37	2.644-140.0	Non-glare flashing beacon increases safety when working in dark buildings.	
Other attachment kits				
Attachment kit for emergency off button	38	2.644-139.0	Attachment kit for attaching an emergency off button, which when pressed stops the scrubber drie completely. Simple reset of the button to resume operation.	r [
Add-on kit deflector roll stackable	39	2.644-168.0	Attaching the additional deflector rollers (non-chalking) to the disc brush head prevents it from getting caught in pallets or shelf feet and protects the fixtures from damage.	
Add-on kit Transport eyelets	40	2.644-219.0	Robust transport eyelet attachment kit for the secure fixing of HDS Medium and Super Class pressure washers during transport.	
Add-on kit brake B75	41	2.644-247.0	Attachment kit for retrofitting a parking brake for safely parking the machine.	
Add-on kit buzzer	42	2.644-258.0	The warning buzzer emits an acoustic signal when the machine is moving, thereby making the machine easier to notice by others and reducing the risk of accidents.	Г

 $[\]blacksquare$ Included in the scope of supply. $\hfill\Box$ Available accessories.









		Order no.	Description	
KITS				
Other attachment kits				
Attachment kit stacked bumper roller squeegee	43	4.035-619.0	Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	
Suction hose accessories	44	4.444-015.0	For vacuuming water out of corners or containers (e.g. freezers).	
SPRAY EXTRACTION MACHINES				
Other				
Cleaning agent container, complete	45	4.070-006.0	Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	

[☐] Available accessories.