

K 5 WCM PREMIUM HOME

The K 5 WCM Premium Home pressure washer with water-cooled motor and hose reel is perfect for tackling dirt on paths, patios and vehicles. Incl. Home Kit.



Made in Europe



Order no.

1.324-462.0

- Functional and reliable water-cooled motor, area performance of 40 m²/h
- Hose reel, 8 m HD hose, suction hose for detergent
- Vario power spray lance, dirt blaster, Home Kit

Technical data

EAN code		405427899517
Voltage	V	230
Frequency	Hz	50
Pressure	bar / MPa	20 - max. 145 / 2 - max. 14.5
Flow rate	l/h	max. 500
Area performance	m ² /h	40
Inlet temperature	°C	max. 40
Rated input power	kW	2.1
Power cable	m	5
Colour		Yellow
Weight without accessories	kg	13
Weight incl. packaging	kg	18.5
Dimensions (L × W × H)	mm	369 × 389 × 901

Scope of supply

Home Kit: T 5 surface cleaner, stone and façade cleaner, 3in1, 1 l
High-pressure gun: G 180 Q
Vario Power Jet
Dirt blaster
High-pressure hose: 8 m
Adapter for A3/4" garden hose connector

Equipment

Integrated high-pressure hose reel
Detergent application via: Suction hose
Water-cooled motor
Pump material: Aluminium
Integrated water filter
Water suction



Outstanding performance

- The water-cooled motor impresses with its particularly long service life and high power.



Hose reel for practical handling

- Neat and space-saving storage: with the practical hose reel the high-pressure hose is optimally protected and easily accessible.
- Store hose, spray lances, trigger gun and cable in a space-saving and neat manner.



Integrated detergent suction hose

- Convenient and easy use of detergents.
- Kärcher detergents (available as an option) not only protect and care for the surface being cleaned but produce more efficient and longer-lasting results.

ACCESSORIES FOR K 5 WCM PREMIUM HOME 1.324-462.0



		Order no.	Description	
SURFACE CLEANERS				
T 5 T-Racer surface cleaner	1	2.644-084.0	Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	■
T 7 Plus T-Racer surface cleaner	2	2.644-074.0	Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function - for effective and splash-free cleaning of large areas.	□
PS 30 power scrubber surface cleaner	3	2.644-123.0	The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
PS 30 Plus power scrubber surface cleaner	4	2.644-212.0	The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	□
SPRAY LANCES				
VP 160 vario power jet	5	2.644-430.0	Vario Power spray lance VP 160 for pressure washers in classes K 4 and K 5. Infinitely adjustable from low-pressure jet to high-pressure jet, simply by turning the spray lance.	■
DB 160 dirt blaster	6	2.642-728.0	Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
TLA 4 telescopic spray lance	7	2.644-190.0	Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	□
Façade & glass cleaning kit	8	2.644-249.0	Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	□
Splash guard	9	2.642-706.0	Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	10	2.638-817.0	Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	□
1-step lance extension	11	2.643-240.0	Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
eco!Booster 145	12	2.645-384.0	Ideal for delicate surfaces - the eco!Booster delivers a 50% higher cleaning performance than the Kärcher standard flat jet, saving water, energy and time.	□
VP 180 S vario power jet short 360° for K 2-K 7	13	2.643-254.0	VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
MJ 160 4-in-1 multi jet	14	2.644-431.0	MJ 160 4-in-1 Multi Jet with 4 spray types for K 4 and K 5 pressure washers: with rotary nozzle, high-pressure flat spray, detergent spray and wide flat jet.	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR K 5 WCM PREMIUM HOME

1.324-462.0



	Order no.	Description	
SPRAY LANCES			
MP 145 multi power jet for K 3-K 5	15 2.643-239.0	Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	<input type="checkbox"/>
TRIGGER GUNS			
G 180 Q gun	16 2.642-889.0	The G 180 Q Quick Connect trigger gun for convenient, ergonomic cleaning with the pressure washer.	<input checked="" type="checkbox"/>
G 180 Q COMFORT!Hold gun	17 2.644-434.0	The G 180 Q COMFORT!Hold trigger gun for pressure washers ensures maximum comfort by reducing the holding force.	<input type="checkbox"/>
BRUSHES			
WB 7 Plus 3-in-1 wash brush	18 2.644-374.0	Particularly versatile thanks to its clever combination: The WB 7 Plus 3-in-1 wash brush combines a foam jet, high-pressure flat spray nozzle and a soft brush in a single product.	<input type="checkbox"/>
WB 150 power brush	19 2.643-237.0	WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	<input type="checkbox"/>
WB 120 rotating wash brush	20 2.644-060.0	Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	<input type="checkbox"/>
WB 130 rotating wash brush	21 2.644-286.0	Always in motion: The rotating wash brush with interchangeable attachment cleans smooth surfaces such as paint, glass or plastic. Quick attachment changes thanks to the integrated release lever.	<input type="checkbox"/>
Rotating wash brush	22 2.644-061.0	Ideal for cleaning smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	<input type="checkbox"/>
	23 2.644-288.0	Effective cleaning of smooth surfaces such as paint, glass or plastic: The rotating wash brush with interchangeable attachment.	<input type="checkbox"/>
WB 120 rotating wash brush car & bike	24 2.644-129.0	Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	<input type="checkbox"/>
WB 130 rotating wash brush car & bike	25 2.644-287.0	Gentle cleaning of cars and motorbikes: The rotating wash brush with innovative removable microfibre Car & Bike attachment. Machine washable at 60 °C.	<input type="checkbox"/>
WB 60 soft surface wash brush	26 2.643-233.0	Soft surface brush for cleaning larger surfaces such as cars, caravans, boats, photovoltaic systems, conservatories and shutters. Good area performance thanks to a working width of 248 mm.	<input type="checkbox"/>
Wheel washing brush	27 2.643-234.0	Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
Wash brush	28 6.903-276.0	Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR K 5 WCM PREMIUM HOME 1.324-462.0



		Order no.	Description	
BRUSHES				
Wash brush	29	2.642-783.0	Universal brush with ergonomic handle and soft bristles for thorough and gentle cleaning of all surfaces.	<input type="checkbox"/>
PIPE CLEANING				
PC 7.5	30	2.644-491.0	Pipe cleaning kit with 7.5 m hose for cleaning pipes, drains and downpipes and for removing blockages. With practical changing system and two nozzles included.	<input type="checkbox"/>
PC 15	31	2.644-492.0	Pipe cleaning kit with 15 m hose for cleaning pipes, drains and downpipes and for removing blockages. With practical changing system and two nozzles included.	<input type="checkbox"/>
PC 20 roof gutter and pipe cleaning kit	32	2.642-240.0	The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
PC 15 pipe cleaning kit	33	2.637-767.0	Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	34	2.637-729.0	Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
FOAM JET				
FJ 6 foam jet	35	2.643-147.0	FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
FJ 3 foam jet	36	2.643-150.0	FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
	37	2.645-383.0	FJ 3 foam jet for cleaning with powerful foam (e.g. Ultra Foam Cleaner). For cars, motorcycles, etc., as well as for applying care agents to stone, wood and façade surfaces.	<input type="checkbox"/>
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	38	2.643-143.0	Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	39	2.643-144.0	Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
MISCELLANEOUS				
SH 5 suction hose	40	2.643-100.0	Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	<input type="checkbox"/>
SH 3 suction hose	41	2.643-101.0	3 metre suction hose for drawing water from alternative sources such as water butts and barrels.	<input type="checkbox"/>
Sand and wet-blasting kit	42	2.638-792.0	Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR K 5 WCM PREMIUM HOME 1.324-462.0



		Order no.	Description	
MISCELLANEOUS				
Vario joint	43	2.640-733.0	Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	44	4.730-059.0	Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
	45	2.642-794.0	Water filter to protect the high-pressure pump against dirt particles from contaminated water.	<input type="checkbox"/>
Anti-twist adapter	46	2.644-257.0	The anti-twist adapter eliminates loops in the high-pressure hose for guaranteed twist-free working. For all high-pressure hoses with a Quick Connect adapter on the gun.	<input type="checkbox"/>
O-ring set	47	2.640-729.0	Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>
HIGH-PRESSURE HOSES				
High-pressure replacement hose: With anti-twist system and Quick Connect system				
H 10 Q Flex PremiumFlex anti twist	48	2.643-585.0	Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adapter. For devices in classes K 2 to K 7. Not suitable for hose reel devices and Full Control, Power Control, Smart Control and Comfort devices in classes K 4 to K 7.	<input type="checkbox"/>
High-pressure replacement hose: system starting 2009 with Quick Connect system				
H 9 Q high-pressure hose Quick Connect	49	2.641-721.0	9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	<input type="checkbox"/>
High-Pressure replacement hose kit system starting 1992				
Extension hose adapter kit	50	2.643-037.0	Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	<input type="checkbox"/>
High-pressure extension hose: System for devices with Quick Connect system				
XH 10 Q extension hose Quick Connect	51	2.641-710.0	High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	52	2.641-709.0	High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
HOSE STORAGE AND HOSE TROLLEY				
HT 2	53	2.645-361.0	The mobile and stable hose trolley impresses with its extra wide base for maximum stability. A compact model with a height-adjustable handle for small gardens.	<input type="checkbox"/>
HT 2.20 Set	54	2.645-362.0	The compact and mobile hose trolley with an extra wide base for maximum stability, 20 m Kärcher hose, watering accessories and nozzle, as well as a height-adjustable handle.	<input type="checkbox"/>
HT 3	55	2.645-363.0	Mobile and stable: The hose trolley for medium-sized gardens scores points with its extra-wide base for maximum stability and its height-adjustable handle. Includes nozzle holder.	<input type="checkbox"/>
HT 3.20 Set	56	2.645-364.0	The hose trolley with nozzle holder impresses with its extra wide base for maximum stability, height-adjustable handle, 20 m garden hose and watering accessories.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR K 5 WCM PREMIUM HOME 1.324-462.0



	Order no.	Description	
HOSE STORAGE AND HOSE TROLLEY			
HT 4	57 2.645-365.0	Everything under control: the hose trolley scores points with its robust hose reel, extra-wide base for maximum stability, precise hose guide and height-adjustable handle.	<input type="checkbox"/>
HT 4.20 Set	58 2.645-366.0	The mobile hose trolley set impresses with its extra wide base, precise hose guide and height-adjustable handle and is ready for immediate use, including a 20 m hose and accessories.	<input type="checkbox"/>
HT 5 M	59 2.645-367.0	The mobile and stable hose trolley impresses with a robust metal hose reel, extra-wide base, precise hose guide and height-adjustable handle.	<input type="checkbox"/>
HT 5.20 M Set	60 2.645-368.0	The hose trolley scores points with its robust metal reel, wide base for high stability and 20 m hose and is ready for immediate use with the enclosed watering accessories.	<input type="checkbox"/>
HT 6 M	61 2.645-369.0	The mobile and stable hose trolley scores points with a robust metal hose reel and an extra-wide base, as well as precise hose guides and a height-adjustable handle.	<input type="checkbox"/>
HR 2.10 Set	62 2.645-370.0	Complete set for convenient watering and space-saving hose storage. Ready for immediate use with a 10 m Kärcher garden hose, connectors, tap adapter and nozzle.	<input type="checkbox"/>
HR 3	63 2.645-371.0	One hose reel - two functions: the HR 3 is used both for storing the hose on the wall and for mobile use in the garden. This is what flexible watering looks like.	<input type="checkbox"/>
HR 3.20 Set	64 2.645-372.0	One hose reel - two functions: the HR 3.20 set with 20 m hose and accessories is used both for storing the hose on the wall and for mobile use in the garden.	<input type="checkbox"/>
HR 4	65 2.645-373.0	For hose storage on the wall and as a mobile hose reel: the HR 4 offers both options and can be easily removed from the wall for flexible watering.	<input type="checkbox"/>
HR 4.30 Set	66 2.645-374.0	For hose storage on the wall and as a mobile hose reel: the HR 4.30 set with a 30 m hose, accessories and nozzle holder offers both options for flexible watering.	<input type="checkbox"/>
HBX 4.15 Automatic	67 2.645-377.0	Always ready for use: hose box for convenient and flexible watering. With a 15 m hose and automatic hose retraction - no more bending down, cranking or getting your hands dirty.	<input type="checkbox"/>
HBX 4.20 Automatic	68 2.645-378.0	Always ready for use: hose box for convenient and flexible watering. With a 20 m hose and automatic hose retraction - no more bending down, cranking or getting your hands dirty.	<input type="checkbox"/>
HBX 5.25 Automatic	69 2.645-379.0	No more bending down, cranking or getting your hands dirty: the hose box guarantees convenient and flexible watering. With a 25 m hose and automatic hose retraction.	<input type="checkbox"/>
HBX 5.30 Automatic	70 2.645-380.0	The hose box for convenient, flexible and effortless watering. With a 30 m hose and automatic hose retraction - no more bending down, cranking or getting your hands dirty.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR K 5 WCM PREMIUM HOME

1.324-462.0



	Order no.	Description		
HOSE STORAGE AND HOSE TROLLEY				
HBX 5.35 Automatic	71	2.645-381.0	Always ready for use: hose box for convenient and flexible watering. With a 35 m hose and automatic hose retraction - no more bending down, cranking or getting your hands dirty.	<input type="checkbox"/>
HOSES				
PrimoFlex® hose 1/2" - 30 m	72	2.645-248.0	Ultra-durable and kink-resistant PrimoFlex® quality garden hose (1/2"). 30 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 15 m	73	2.645-296.0	The PrimoFlex® (1/2") flexible garden hose is 15 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to human health. Bursting pressure: 22 bar.	<input type="checkbox"/>
PrimoFlex® 1/2" - 25 m	74	2.645-297.0	The PrimoFlex® (1/2") flexible garden hose is 25 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to human health. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 5/8" - 15 m	75	2.645-298.0	15 m long, temperature-resistant and contains no substances that are harmful to human health: The flexible PrimoFlex® garden hose (5/8") with pressure-resistant reinforcement mesh and a bursting pressure of 22 bar.	<input type="checkbox"/>
Hose Performance Plus 1/2" -20m	76	2.645-318.0	Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow.	<input type="checkbox"/>
Hose Performance Plus 1/2" -50m	77	2.645-319.0	Flexible, ultra-robust and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 50-metre long Performance Plus 1/2" garden hose for constant water flow.	<input type="checkbox"/>
Hose Performance Plus 5/8" -25m	78	2.645-320.0	Quality garden hose from Kärcher: the new 25-metre long Performance Plus 5/8" garden hose. Flexible and extremely resistant to kinks - for constant water flow. Bursting pressure 40 bar.	<input type="checkbox"/>
Hose Performance Plus 5/8" -50m	79	2.645-321.0	The 50-metre long Performance Plus 5/8" garden hose, made from ultra-robust multi-layered woven material. Flexible and extremely resistant to kinks for constant water flow.	<input type="checkbox"/>
Hose Performance Plus 3/4" -25m	80	2.645-322.0	Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible, ultra-robust and extremely resistant to kinks - for constant water flow.	<input type="checkbox"/>
Hose Performance Plus 3/4" -50m	81	2.645-323.0	Ultra-robust, extremely resistant to kinks and free from potentially harmful substances: the 50-metre long Performance Plus 3/4" garden hose. Made from high-quality multi-layered woven material - for constant water flow.	<input type="checkbox"/>
Performance Premium hose, 1/2" -20 m	82	2.645-324.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology.	<input type="checkbox"/>
Hose Performance Premium 1/2"-50m	83	2.645-325.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 1/2". Length: 50 m. With Kärcher Premium anti-torsion technology.	<input type="checkbox"/>
Hose Performance Premium 5/8"-25m	84	2.645-326.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 25 m. With Kärcher Premium anti-torsion technology.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR K 5 WCM PREMIUM HOME


1.324-462.0



83, 85



86



87



88



72-75, 89, 91, 93



90, 92, 94



95



96

		Order no.	Description	
HOSES				
Hose Performance Premium 5/8" -50m	85	2.645-327.0	The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter: 5/8". Length: 50 m. With Kärcher Premium anti-torsion technology.	<input type="checkbox"/>
Hose set for pressure washers	86	2.645-399.0	Hose set for pressure washers with 10 m PrimoFlex® hose (1/2"), G3/4 tap adaptor, 1 × hose connector and 1 × hose connector with Aqua Stop.	<input type="checkbox"/>
	87	2.645-156.0	Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex® hose (3/4"), G3/4 tap adaptor, 1 × universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	88	2.645-258.0	Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	89	2.645-138.0	The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 50 m	90	2.645-139.0	PrimoFlex® quality garden hose (1/2"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	<input type="checkbox"/>
Primo Flex® hose 5/8" - 25 m	91	2.645-140.0	PrimoFlex® quality garden hose (5/8"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	<input type="checkbox"/>
PrimoFlex® hose 5/8" - 50 m	92	2.645-141.0	PrimoFlex® quality garden hose (5/8"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	93	2.645-142.0	PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 50 m	94	2.645-143.0	PrimoFlex® quality garden hose (3/4"). 50 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from 0 to +40 °C.	<input type="checkbox"/>
HOSE CONNECTION SYSTEMS				
Universal hose coupling Plus	95	2.645-193.0	Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	96	2.645-194.0	Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>

Available accessories.